

# VELVET Mini 3 IP54

Ref.: VM3IP54

Datasheet: June 2021 / Page 1



## Bicolor weatherproof compact panoramic soft light LED panels

[Click here for more product information](#)

**VM3IP54 includes:** 1x DC in XLR-3, 1x DMX in XLR-5, 1x yoke with 28mm junior pin - 16mm baby receiver



1. Power switch
2. PowerCon TRUE 1 AC Power In
3. PowerCon TRUE 1 AC Power Out
4. +/- adjustment buttons
5. 3200K / 5600K Quick access button
6. Mode selection button (Dimmer / Colour Temperature)
7. Digital display
8. XLR-5 DMX RDM In connector
9. XLR-5 DMX RDM Out connector



# VELVET Mini 3 IP54


Ref.: VM3IP54

Datasheet: June 2021 / Page 2



<b>COLOUR TEMPERATURE</b>	adjustable from 2700K to 6500K in 100K increments
<b>LIGHT INTENSITY</b>	dimnable 0 to 100 (smooth and flicker-free)
<b>TLCI</b>	93 at 3200K and 96 at 5600K
<b>DIMENSIONS</b>	870 x 190x 90 mm / 34" x 7,5" x 3,5" (panel)
<b>WEIGHT</b>	4,3 kgs / 9,5 lbs (panel)
<b>POWER DRAW</b>	150W / 1,36 Amps at 110 VAC
<b>POWER SUPPLY</b>	12 – 35 VDC through XLR-3 connector Vlock or Gold battery quick link mount 90-264 VAC 50/60Hz through Smart AC adapter
<b>PHOTOMETRICS</b>	3.200 Lux / 296 fc at 1m / 3 feet 450 Lux / 42 fc at 3m / 10 feet
<b>BEAM ANGLE</b>	100°
<b>LED RATED LIFE</b>	more than 50.000 hours
<b>COOLING</b>	no-noise, fan-free passive cooling
<b>PROTECTION</b>	IP54 weatherproof, indoor or outdoor use
<b>CONSTRUCTION &amp; FINISH</b>	made of black anodized extruded aluminum and black powder coated sheet aluminum
<b>VELVET LED TECHNOLOGY</b>	Selected BIN LED + optic diffuser + CPU software control
<b>ACCESSORIES</b>	Smart AC power supply (Vlock or Gold available), VELVET DMX remote control, foldable Snapgrid, foldable SnapBag softbox, removable barn doors, cordura case, hard case
<b>RIGGING OPTIONS</b>	aluminum yoke with 16mm baby receptacle combined with 28mm junior pin, four sliding threads 1/4" for riggings located on panel sides, double baby pin for diagonal or vertical position

## WIRE VIEW






# VELVET Mini 3 IP54

Ref.: VM3IP54


Datasheet: June 2021 / Page 3



## PHOTOMETRICS



## CCT 3231K



## CCT 5638K

# VELVET Mini 3 IP54

Ref.: VM3IP54

Datasheet: June 2021 / Page 4



## ACCESSORIES

POWER SUPPLY	TRANSPORT	RIGGING
--------------	-----------	---------



VM-PSU200WVL



VM-PSU200WGL



VM3-BAG



VM-QLS

## BEAM CONTROL



VM3-RB



VM3-SG



VM3-SB



VM3-SGXSB

## RIGGING



VM3-DOME



VM-QLS

## BATTERY ADAPTERS

## REMOTE CONTROL



VM-VLOCKIP54



VM-VLOCKA



VM-GOLDA



VL-RC